CLAIM AMENDMENTS

1 1. (Currently Amended) A method of using a first device to configure information to be

2   displayed on a second device that has different display capabilities than said first

3   device, the method comprising the computer-implemented steps of:

4   receiving first input from said first device, wherein said first input specifies the

5   information to be displayed on said second device;

6   causing said first device to generate a first visual depiction of how the information

7   will appear when displayed on said second device;

8   based on said first input, storing data that specifies the information to be displayed on

9   said second device; ~~and~~

10   based on said data, transmitting for display on said second device the information that

11   said data specifies; and

12   causing said first device to generate a second visual depiction, wherein said second

13   visual depiction depicts said second device.

1 2. (Previously Presented) The method as recited in Claim 1, further comprising:

2   receiving second input from said first device, wherein said second input modifies the

3   information to be displayed on said second device;

4   in response to said second input, causing said first device to generate a modified first

5   visual depiction of how the information, as modified by said second input,

6   will appear when displayed on said second device; and

7   based on said second input, causing a change to the information displayed on said

8   second device.

1 3. (Original) The method as recited in Claim 1, further comprising:

2   receiving second input from said first device, wherein said second input specifies a

3   format for displaying the information on said second device; and

4   in response to said second input, causing said first device to generate, based on said

5   format, a modified first visual depiction of how the information will appear

6   when displayed on said second device.

1   4.   (Original) The method as recited in Claim 1, further comprising:

2   receiving second input from said first device, wherein said second input modifies how

3   the information is to appear when displayed on said second device; and

4   in response to said second input, causing said first device to generate a modified first

5   visual depiction of how the information will appear, as modified by said second

6   input, when displayed on said second device.

1   5.   (Cancelled)

1   6.   (Cancelled)

1   7.   (Currently Amended) The method as recited in Claim 6 1, further comprising:

2   causing said first device to generate a third visual depiction, wherein said third visual

3   depiction is a combination of said first visual depiction and said second visual

4   depiction, such that said third visual depiction depicts said second device

5   displaying the information.

1   8.   (Currently Amended) The method as recited in Claim 6 1, further comprising:

2   receiving data from said first device, wherein said data is generated in response to

3   user interaction with said second visual depiction of said second device; and

4   based on said data, causing said first device to visually emulate how said second

5   device would operate in response to said user interaction.

1   9.   (Currently Amended) The method as recited in Claim 6 1, further comprising:

2   receiving data from said first device, wherein said data is generated in response to

3   user interaction with said first visual depiction of the information; and

4   based on said data, causing said first device to generate a modified first visual

5   depiction of how the information will appear when displayed on said second

6   device, as a result of said user interaction.

1   10.   (Original) The method as recited in Claim 1, further comprising:

2   causing said first device to generate a second visual depiction of how the information

3   will appear when displayed on a third device, wherein said third device has

4   different display capabilities than either said first device or said second device.

1   11.   (Original) The method as recited in Claim 10, wherein said first visual depiction and

2   said second visual depiction are displayed concurrently on said first device.

1   12.   (Original) The method as recited in Claim 1, wherein the information specifies a first

2   set of data to be displayed on said second device, further comprising:

3   receiving second input from said first device, wherein said second input specifies

4   additional information that specifies a second set of data to be displayed on

5   said second device, and wherein said first set of data and said second set of

6   data are not displayed concurrently on said second device; and

7   causing said first device to display concurrently both (a) said first visual depiction of

8   how the information will appear when displayed on said second device and

9   (b) a second visual depiction of how the additional information will appear

10   when displayed on said second device.

1   13.   (Original) The method as recited in Claim 1, wherein said first device is a general

2   purpose computer.

1   14.   (Original) The method as recited in Claim 1, wherein said second device is configured

2   to communicate through a wireless connection.

1   15.   (Original) The method as recited in Claim 14, wherein said second device is a mobile

2   phone.

1   16.   (Original) The method as recited in Claim 1, wherein said first input from said first

2   device is received through a first frame of a window that depicts a web page and

3   wherein said first visual depiction is displayed in a second frame of said window.

4

1   17.   (Original) The method as recited in Claim 1, wherein the information to be displayed

2   on said second device is a particular portion of content available from a service.

1   18.   (Original) The method as recited in Claim 1, wherein the information to be displayed

2   on said second device is an application available from a service.

1   19.   (Currently Amended) A method of using a general purpose computer to configure

2   content to be displayed on a mobile device, the method comprising the computer-

3   implemented steps of:

4   receiving first user input on said general purpose computer, wherein said first user

5   input specifies the content to be displayed on said mobile device;

6   causing said general purpose computer to generate a first image of how the content

7   will appear when displayed on said mobile device;

8   based on said first user input, causing said content specified in said first user input to

9   be displayed on said mobile device;

10   receiving second user input on said general purpose computer, wherein said second

11   user input modifies the content to be displayed on said mobile device;

12   in response to said second user input, causing said general purpose computer to

13   generate a modified first image of how the content will appear when displayed

14   on said mobile device;

15   based on said second user input, storing data that specifies the information to be

16   displayed on said mobile device; ~~and~~

17   based on said data, transmitting for display on said mobile device the information that

18   said data specifies<u>; and</u>

19   <u>causing said general purpose computer to generate a second image, wherein said</u>

20   <u>second image depicts said mobile device.</u>

1   20.   (Currently Amended) The method as recited in Claim 19, ~~further comprising:~~

2   ~~causing said general purpose computer to generate a second image, wherein said~~

3   ~~second image depicts said mobile device, and~~

4   wherein said modified first image of how the content will appear when displayed on

5   said mobile device and said second image of said mobile device are combined

6   to form a third image, wherein said third image depicts said mobile device

7   displaying the content.

1 21. (Currently Amended) A device of a first device type for specifying content for display

2   on a second device of a second device type, the device comprising:

3   a user interface to specify the content to be displayed on said second device; and

4   a display area that displays a first visual depiction of how the content will appear

5   when displayed on said second device;

6   wherein the content that is displayed on the second device is based on first input

7   received through said user interface;

8   wherein data is stored that specifies the information to be displayed on said second

9   device; ~~and~~

10   wherein, based on said data, the information that said data specifies is transmitted for

11   display on said second device<u>; and</u>

12   <u>wherein said display area is configured to display a second visual depiction, wherein</u>

13   <u>said second visual depiction depicts said second device.</u>

1 22. (Previously Presented) The device as recited in Claim 21,

2   wherein said user interface is configured to receive second input that modifies the

3   content to be displayed on said second device, and

4   wherein, in response to said second input, said display area is configured to display a

5   modified first visual depiction of how the content, as modified by said second

6   input, will appear when displayed on said second device.

1 23. (Previously Presented) The device as recited in Claim 21,

2   wherein said user interface is configured to receive second input that specifies a

3   format for displaying the content on said second device, and

4   wherein, in response to said second input, said display area is configured to display,

5   based on said format, a modified first visual depiction of how the content will

6   appear when displayed on said second device.

1   24.   (Previously Presented) The device as recited in Claim 21,

2   wherein said user interface is configured to receive second input that modifies how

3   the content is to appear when displayed on said second device, and

4   wherein, in response to said second input, said display area is configured to display a

5   modified first visual depiction of how the content will appear, as modified by

6   said second input, when displayed on said second device.

1   25.   (Original) The device as recited in Claim 21,

2   wherein the user interface is configured to send data to a third device, wherein said

3   data specifies the content to be displayed on said second device,

4   wherein said third device is configured to store said data, and

5   wherein said third device is configured to transmit for display on said second device

6   the content that said data specifies.

1   26.   (Cancelled)

1   27.   (Currently Amended) The device as recited in Claim 26 21,

2   wherein said first visual depiction of how the content will appear when displayed on

3   said second device and said second visual depiction of said second device are

4   combined to form a third visual depiction, and

5   wherein said third visual depiction depicts said second device displaying the

6   information.

1   28.   (Currently Amended) The device as recited in Claim 26 21,

2   wherein said user interface is configured to receive data generated in response to user

3   interactions with said second visual depiction of the information, and

4   wherein said display area is configured to visually emulate how said second device

5   would operate in response to said user interaction.

1　29.　(Currently Amended) The device as recited in Claim 26 21,

2　　　　wherein said user interface is configured to receive data generated in response to user

3　　　　　interactions with said first visual depiction of said second device, and

4　　　　wherein said display area is configured to display a modified first visual depiction of

5　　　　　how the content will appear when displayed on said second device, as a result

6　　　　　of said user interaction.

1　30.　(Original) The device as recited in Claim 21, wherein said display area is configured

2　　　　to display a second visual depiction of how the content will appear when displayed on

3　　　　a third device of a third device type.

1　31.　(Original) The device as recited in Claim 30, wherein said display area is configured

2　　　　to display concurrently said first visual depiction and said second visual depiction.

1　32.　(Original) The device as recited in Claim 21,

2　　　　wherein the content specifies a first set of data to be displayed on said second device,

3　　　　wherein said user interface is configured to receive input that specifies additional

4　　　　　content, wherein the additional content specifies a second set of data to be

5　　　　　displayed on said second device, and wherein said first set of data and said

6　　　　　second set of data are not displayed concurrently on said second device, and

7　　　　wherein said display area is configured to display concurrently both (a) said first

8　　　　　visual depiction of how the content will appear when displayed on said second

9　　　　　device and (b) a second visual depiction of how the additional content will

10　　　　　appear when displayed on said second device.

1　33.　(Original) The device as recited in Claim 21, wherein said device is a general purpose

2　　　　computer.

1　34.　(Original) The device as recited in Claim 21, wherein said second device is

2　　　　configured to communicate through a wireless connection.

1 35. (Original) The device as recited in Claim 34, wherein said second device is a mobile
2   phone.

1 36. (Original) The device as recited in Claim 21, further comprising:
2   a window that depicts a web page, wherein said window is comprised of:
3   a first frame that is configured to receive user input and to send said user input
4   to said user interface, and
5   a second frame that includes said display area that displays said first visual
6   depiction of how the content will appear when displayed on said second
7   device.

1 37. (Original) The device as recited in Claim 21, wherein the content to be displayed on
2   said second device is a particular portion of content available from a service.

1 38. (Original) The device as recited in Claim 21, wherein the content to be displayed on
2   said second device is an application available from a service.

1 39. (Currently Amended) A general purpose computer for specifying information for
2   display on a mobile device, the general purpose computer comprising:
3   a user interface to specify the information to be displayed on said mobile device,
4   wherein said user interface is configured to receive user input that modifies
5   the information to be displayed on said mobile device; and
6   a display area that displays a first image of how the information will appear when
7   displayed on said mobile device,
8   wherein said display area is configured to display a modified first image of how the
9   information will appear when displayed on said mobile device;
10   wherein the content that is displayed on the mobile device is based on said user input
11   received through said user interface;
12   wherein data is stored that specifies the information to be displayed on said mobile
13   device; ~~and~~

9

14 wherein, based on said data, the information that said data specifies is transmitted for

15 display on said mobile device; and

16 wherein said display area is configured to display a second image, wherein said

17 second image depicts said mobile device.

1 40. (Currently Amended) The device as recited in Claim 39,

2 ~~wherein said display area is configured to display a second image, wherein said~~

3 ~~second image depicts said mobile device, and~~

4 wherein said first image of how the information will appear when displayed on said

5 mobile device and said second image of said mobile device are combined to

6 form a third image, wherein said third image depicts said mobile device

7 displaying the information.

1 41. (Currently Amended) A computer-readable medium carrying one or more sequences

2 of instructions for using a first device to configure information to be displayed on a

3 second device that has different display capabilities than said first device, which

4 instructions, when executed by one or more processors, cause the one or more

5 processors to carry out the steps of:

6 receiving first input from said first device, wherein said first input specifies the

7 information to be displayed on said second device;

8 causing said first device to generate a first visual depiction of how the information

9 will appear when displayed on said second device;

10 based on said first input, storing data that specifies the information to be displayed on

11 said second device; ~~and~~

12 based on said data, transmitting for display on said second device the information that

13 said data specifies; and

14 causing said first device to generate a second visual depiction, wherein said second

15 visual depiction depicts said second device.

1   42.   (Previously Presented) The computer-readable medium as recited in Claim 41, further
2   comprising instructions which, when executed by the one or more processors, cause
3   the one or more processors to carry out the steps of:
4   receiving second input from said first device, wherein said second input modifies the
5   information to be displayed on said second device;
6   in response to said second input, causing said first device to generate a modified first
7   visual depiction of how the information, as modified by said second input,
8   will appear when displayed on said second device; and
9   based on said second input, causing a change to the information displayed on said
10   second device.

1   43.   (Original) The computer-readable medium as recited in Claim 41, further comprising
2   instructions which, when executed by the one or more processors, cause the one or
3   more processors to carry out the steps of:
4   receiving second input from said first device, wherein said second input specifies a
5   format for displaying the information on said second device; and
6   in response to said second input, causing said first device to generate, based on said
7   format, a modified first visual depiction of how the information will appear
8   when displayed on said second device.

1   44.   (Original) The computer-readable medium as recited in Claim 41, further comprising
2   instructions which, when executed by the one or more processors, cause the one or
3   more processors to carry out the steps of:
4   receiving second input from said first device, wherein said second input modifies how
5   the information is to appear when displayed on said second device; and
6   in response to said second input, causing said first device to generate a modified first
7   visual depiction of how the information will appear, as modified by said
8   second input, when displayed on said second device.

1   45.   (Cancelled)

1   46.   (Cancelled)

1   47.   (Currently Amended) The computer-readable medium as recited in Claim 46 41,
2   further comprising instructions which, when executed by the one or more processors,
3   cause the one or more processors to carry out the step of:
4   causing said first device to generate a third visual depiction, wherein said third visual
5   depiction is a combination of said first visual depiction and said second visual
6   depiction, such that said third visual depiction depicts said second device
7   displaying the information.

1   48.   (Currently Amended) The computer-readable medium as recited in Claim 46 41,
2   further comprising instructions which, when executed by the one or more processors,
3   cause the one or more processors to carry out the steps of:
4   receiving data from said first device, wherein said data is generated in response to
5   user interaction with said second visual depiction of said second device; and
6   based on said data, causing said first device to visually emulate how said second
7   device would operate in response to said user interaction.

1   49.   (Currently Amended) The computer-readable medium as recited in Claim 46 41,
2   further comprising instructions which, when executed by the one or more processors,
3   cause the one or more processors to carry out the steps of:
4   receiving data from said first device, wherein said data is generated in response to
5   user interaction with said first visual depiction of the information; and
6   based on said data, causing said first device to generate a modified first visual
7   depiction of how the information will appear when displayed on said second
8   device, as a result of said user interaction.

1   50.   (Original) The computer-readable medium as recited in Claim 41, further comprising

2   instructions which, when executed by the one or more processors, cause the one or

3   more processors to carry out the step of:

4   causing said first device to generate a second visual depiction of how the information

5   will appear when displayed on a third device, wherein said third device has

6   different display capabilities than either said first device or said second device.

1   51.   (Original) The computer-readable medium as recited in Claim 50, wherein said first

2   visual depiction and said second visual depiction are displayed concurrently on said

3   first device.

1   52.   (Original) The computer-readable medium as recited in Claim 41, wherein the

2   information specifies a first set of data to be displayed on said second device and

3   further comprising instructions which, when executed by the one or more processors,

4   cause the one or more processors to carry out the steps of:

5   receiving second input from said first device, wherein said second input specifies

6   additional information that specifies a second set of data to be displayed on

7   said second device, and wherein said first set of data and said second set of

8   data are not displayed concurrently on said second device; and

9   causing said first device to display concurrently both (a) said first visual depiction of

10   how the information will appear when displayed on said second device and

11   (b) a second visual depiction of how the additional information will appear

12   when displayed on said second device.

1   53.   (Original) The computer-readable medium as recited in Claim 41, wherein said first

2   device is a general purpose computer.

1   54.   (Original) The computer-readable medium as recited in Claim 41, wherein said

2   second device is configured to communicate through a wireless connection.

1   55.   (Original) The computer-readable medium as recited in Claim 54, wherein said
2   second device is a mobile phone.

1   56.   (Original) The computer-readable medium as recited in Claim 41, wherein said first
2   input from said first device is received through a first frame of a window that depicts
3   a web page and wherein said first visual depiction is displayed in a second frame of
4   said window.

1   57.   (Original) The computer-readable medium as recited in Claim 41, wherein the
2   information to be displayed on said second device is a particular portion of content
3   available from a service.

1   58.   (Original) The computer-readable medium as recited in Claim 41, wherein the
2   information to be displayed on said second device is an application available from a
3   service.

1   59.   (Currently Amended) A computer-readable medium carrying one or more sequences
2   of instructions for using a first device to configure information to be displayed on a
3   second device that has different display capabilities than said first device, which
4   instructions, when executed by one or more processors, cause the one or more
5   processors to carry out the steps of:
6   receiving first input from said first device, wherein said first input specifies the
7   content to be displayed on said second device;
8   generating on said first device a first image of how the content will appear when
9   displayed on said second device;
10   based on said first input, storing data that specifies the content to be displayed on said
11   second device; ~~and~~
12   based on said data, transmitting for display on said second device the content that said
13   data specifies<u>; and</u>
14   <u>generating a second image, wherein said second image depicts said second device.</u>

1   60.   (Previously Presented) The computer-readable medium as recited in Claim 59, further

2   comprising instructions which, when executed by the one or more processors, cause

3   the one or more processors to carry out the steps of:

4   receiving second input from said first device, wherein said second input modifies the

5   content to be displayed on said second device;

6   in response to said second input, generating on said first device a modified first image

7   of how the content will appear when displayed on said second device, as

8   modified by said second input; and

9   based on said second input, causing a change to the content displayed on said second

10   device.

1   61.   (Currently Amended) The computer-readable medium as recited in Claim 59, further

2   comprising instructions which, when executed by the one or more processors, cause

3   the one or more processors to carry out the step of:

4   ~~generating a second image, wherein said second image depicts said second device;~~

5   ~~and~~

6   combining on said first device said first image and said second image, such that said

7   second device is depicted displaying the content.

1   62.   (Previously Presented) The computer-readable medium as recited in Claim 61,

2   wherein the step of causing the content to be displayed on the second device includes:

3   receiving data from said first device, wherein said data is generated in response to

4   user interaction with said second image of the information; and

5   based on said data, emulating how said second device would operate in response to

6   said user interaction.

1 63. (Original) The computer-readable medium as recited in Claim 59, wherein the content

2 specifies a first set of data to be displayed on said second device and further

3 comprising instructions which, when executed by the one or more processors, cause

4 the one or more processors to carry out the step of:

5 receiving second input from said first device, wherein said second input specifies

6 additional content that specifies a second set of data to be displayed on said

7 second device, and wherein said first set of data and said second set of data are

8 not displayed concurrently on said second device; and

9 displaying concurrently on said first device both (a) said first image of how the content

10 will appear when displayed on said second device and (b) a second image of

11 how the additional content will appear when displayed on said second device.

Docket No. 50277-0386 (OID 2000-006-01)